




# BEARING USA CORP.

## INA 2906 Ball bearing



2906 Bearing 2D drawings and 3D CAD models

Bearing No. 2906

Size	30x50x14 mm
Bore Diameter	30 mm
Outer Diameter	50 mm
Width	14 mm
d	1,181 inch
d	30 mm
D	1,969 inch
D	50 mm
T	0,551 inch
T	14 mm
D <sub>1</sub>	1,189 mm
D <sub>1</sub>	30,201 inch
m	1,312 lbs / Weight
m	0,595 kg / Weight
C <sub>a</sub>	5100 lbf / Dynamic load rating (axial)
C <sub>a</sub>	22700 N / Dynamic load rating (axial)
C <sub>0a</sub>	9800 lbf / Static load rating (axial)
C <sub>0a</sub>	43500 N / Static load rating (axial)
Category	Thrust Ball Bearing
Inventory	18.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.713



## BEARING USA CORP.

EAN	4012802027198
Product Group	B00308
Rolling Element	Ball Bearing
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1   ISO P0
Component Description	Roller Assembly Plus Raceways
Other Features	Single Row   Deep Groove   Light Cross Section   Grooved Race   Separable   3 Piece Ball
Long Description	30MM Bore 1; 30.201MM Bore 2; 50MM Outside Diameter; 14MM Height; Ball Bearing; Single Direction; Not Banded; Steel Cage; ABEC 1   ISO P0 Precision
Inch - Metric	Metric
Category	Thrust Ball Bearings
UNSPSC	31171507
Harmonized Tariff Code	8482.10.50.08
Noun	Bearing
Keyword String	Ball Thrust
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Item Number	2906
Weight / LBS	1.312
Outside Diameter	1.969 Inch   50 Millimeter
Bore 1	1.181 Inch   30 Millimeter
Height	0.551 Inch   14 Millimeter
Bore 2	1.189 Inch   30.201 Millimeter
Overall Height with	0 Inch   0 Millimeter



# BEARING USA CORP.

Aligning Washer	
-----------------	--